








# Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

  WHMIS (Pictograms)	WHMIS CLASS D-2: Material causing other toxic effects. WHMIS CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F). WHMIS (Classification)	HCS CLASS: Combustible liquid having a flash point between 37.8°C (100°F) and 93.3°C (200°F). HCS
--	--	--

## Section 1. Chemical Product and Company Identification

Product Name/ Trade name	<b>Fiber Pro POG</b>	Code	417
Synonym	Paint, Oil, and Grease Remover	CAS #	Mixture.
Chemical Family	N/A	Validation Date	8/11/2003
Chemical Formula	Not applicable.	Print Date	3/27/2004
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
		Protective Clothing   	

## Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC <sub>50</sub> /LD <sub>50</sub>
1) Low Odor Base Solvent	64742-47-8	85-95	TWA: 100 (ppm) TWA: 100 (ppm) from OSHA (PEL) [United States]	Not available.
2) Citrus Terpenes	5989-27-5	5-10	Not available.	ORAL (LD50): Acute: 5000 mg/kg [Rat]. DERMAL (LD50): Acute: 5000 mg/kg [Rabbit].
3) Nonionic Surfactant	9016-45-9	1-5	Not available.	Not available.

## Section 3. Hazards Identification

Potential Acute Health Effects	Skin and eye irritant. Irritating to the mucous membranes of the nose, throat and lungs. Harmful if swallowed.
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis. Over-exposure by inhalation may cause respiratory irritation.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

## Section 4. First Aid Measures

Eye Contact	Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water. Seek IMMEDIATE medical attention.
Skin Contact	Wash contaminated skin with soap and water. Seek medical attention.
Inhalation	Evacuate the victim to a safe area as soon as possible. If the victim is not breathing, perform mouth-to-mouth resuscitation.
Ingestion	Do not induce vomiting. Call a poison control center immediately for treatment advice.

### Section 5. Fire Fighting Measures

Products of Combustion	carbon oxides (CO, CO2)
Fire Fighting Media and Instructions	Use dry chemical , CO2 or Foam. DO NOT use water.
Special Remarks on Fire Hazards	COMBUSTIBLE.
Special Remarks on Explosion Hazards	No additional remark.

### Section 6. Accidental Release Measures

Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.
Large Spill and Leak	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Full suit. Face shield. Gloves.

### Section 7. Handling and Storage

Precautions	After handling, always wash hands thoroughly with soap and water. Avoid contact with skin and eyes.
Incompatibility	oxidizing agents
Storage	Combustible materials should be stored away from extreme heat and away from strong oxidizing agents. Keep out of reach of children. For Institutional and Commercial Use

### Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
----------------------	---

#### Personal Protection


*Eyes* Splash goggles.

*Body* No special protective clothing is required.

*Respiratory* Wear appropriate respirator when ventilation is inadequate.

*Hands* Gloves.

#### Protective Clothing (Pictograms)



#### Exposure Limits

##### Petroleum Distillates

TWA: 100 (ppm)  
TWA: 100 (ppm) from OSHA (PEL)

##### Low Odor Base Solvent

TWA: 100 (ppm)  
TWA: 100 (ppm) from OSHA (PEL)

Consult local authorities for acceptable exposure limits.

### Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid	Odor	Citrus
Molecular Weight	Not applicable.	Taste	Not available.
pH	N/A	Color	Colorless.
Boiling/Condensation Point	176.67°C (350°F)		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	0.805 (Water = 1)		
Vapor Pressure	<20 mm of Hg (@ 20°C)		
Vapor Density	Not available.		
Volatility	90% (v/v).		
VOC	>50%		
Evaporation Rate	<1		
Dispersion Properties	not available		
Solubility	Miscible in water.		
The Product is:	COMBUSTIBLE.		
Auto-ignition Temperature	Not Available		
Flash Points	CLOSED CUP: 62.778°C (145°F).		
Flammable Limits	LOWER: 1% UPPER: 6%		
Fire Hazards in Presence of Various Substances	COMBUSTIBLE.		
Explosion Hazards in Presence of Various Substances	Drums Heated By Fire Can explode		

### Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	oxidizing agents
Hazardous Decomposition Products	not available

### Section 11. Toxicological Information

Routes of Entry	Eye Contact Ingestion. INHALATION Skin contact.
Toxicity to Animals	LD50: Not available. LC50: Not available.
Acute Effects on Humans	<i>Eyes</i> This product is an eye irritant. <i>Skin</i> Moderately irritating <i>Inhalation</i> Not available. <i>Ingestion</i> Irritating to mouth, throat and stomach. Aspiration into the lungs may result in Chemical pneumonitis.
Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis. Over-exposure by inhalation may cause respiratory irritation.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

### Section 12. Ecological Information

Ecotoxicity	Not Available
BOD5 and COD	Not Available
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	Not Applicable
Special Remarks on the Products of Biodegradation	No additional remark.

### Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

### Section 14. Transport Information

DOT (U.S.A)  
(Pictograms)



TDG Classification

3



PIN UN, Proper Shipping Name, PG

Shipping name: Combustible Liquid NOS UNNA: 1993 PG: III

Maritime Transportation

Not available.

Special Provisions for Transport

Not available.

### Section 15. Other Regulatory Information and Pictograms

**WHMIS (Classification)**

WHMIS CLASS D-2: Material causing other toxic effects. WHMIS CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).



**Regulatory Lists**

CEPA DSL: No products were found.

**Other Regulations**

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

**Other Classifications**

**HCS (U.S.A.)** HCS CLASS: Combustible liquid having a flash point between 37.8°C (100°F) and 93.3°C (200°F).

**USA Regulatory Lists**

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Citrus Terpenes: fire, immediate health hazard

**DSD (EEC)**

This product is not classified according to the EU regulations.


**International Regulations Lists**

No products were found.

**Hazardous Material Information System (U.S.A.)**

Health	2
Flammability	2
Physical Hazard	0

**National Fire Protection Association (U.S.A.)**



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product.

### Section 16. Other Information

Validated by CRushton on 8/11/2003.

Verified by CRushton.

Printed 3/27/2004.

**Information Contact** Betco Corporation  
1001 Brown Avenue  
Toledo, Ohio 43607

Notice to Reader

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

Validated on 8/11/2003.

**Fiber Pro POG**

Page: 5/5

**Continued on Next Page**